

TIME OVERCURRENT RELAY

TYPE IAC

MODEL 12IAC99AN()A

INTRODUCTION


This supplement in conjunction with GEK-45344 forms the instructions for relay model 12IAC99AN()A.

DESCRIPTION

Relay 12IAC99AN() is similar to IAC66S()A except for the internal connections diagram which is shown in Fig. 1 of this supplement. The complete instructions for this type relay are given in GEK-45344.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to the General Electric Company.

To the extent required the products described herein meet applicable ANSI, IEEE and NEMA standards; but no such assurance is given with respect to local codes and ordinances because they vary greatly.



* = SHORT FINGER

* * = UPPER STUDS UNAVAILABLE DUE TO SPACE LIMITATIONS

G = GREEN LEAD | POSITION SHOWN IS FOR LOW RANGE INTERCHANGE

B = BLACK LEAD | G & B LEADS FOR HIGH RANGE

50 = PIN. NO ON TIMER P.C. CARD

+ = FOR INT. CONNS.OF TIMER CARD, SEE 0227A2505

Fig. 1 (0273A9124-1) Internal Connections Diagram for Type IAC99AN()A