

INSTRUCTIONS

GEK-45418
INSERT GEI-83945

TRANSFERRED TRIP AUXILIARY
RELAY
TYPE NAA

MODEL 12NAA99AG (-) A

INTRODUCTION


This instruction in conjunction with the GEI-83945 Instruction Book constitutes the complete set of instructions for the 12NAA99AG (12NAA99AG (-) relay.

DESCRIPTION

Special relay NAA99AG is similar to the NAA27M auxiliary relay except for the following:

1. The TX telephone relay and its circuit has been omitted.
2. The addition of another GX telephone relay. In the case of the NAA99AG those relays are called X1 and X2.
3. The addition of another Target & Seal-in unit.
4. The Internal Connections Diagram, which is given in Figure of this supplement.

These instructions do not purport to cover all details or variations in equipment nor to provide for every possible contingency to be met in connection with installation, operation or maintenance. Should further information be desired or should particular problems arise which are not covered sufficiently for the purchaser's purposes, the matter should be referred to the General Electric Company.



* = SHORT FINGERS

FORM	DC VOLTS	RESISTANCE IN OHMS		
		X1	X2	D
001	125	2500	2500	1500

FIG. 1 (0257A8381-0 SHTS. 1&2) INTERNAL CONNECTION DIAGRAM FOR RELAY TYPE 12NAA99AG(-)A.